

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9071	(has\$3) near7 (material\$1 message\$1 content \$1 information\$1 data)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L2	1940	(first original\$1) near2 hash\$3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L3	7193	(has\$3) near4 (material\$1 message\$1 content \$1 information\$1 data)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L4	1503	(compar\$5 verif\$8 match\$3) near4 (L3 L2)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L5	34623	(sign\$1 signature \$1 signing) near7 (material\$1 message\$1 content \$1 information\$1 data)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L6	9630	digital\$2 near3 (sign\$1 signature \$1 signing)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L7	2476	(sign\$1 signature \$1 signing) near7 (hash\$3)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L8	1789	L6 and L7 and L5	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L9	1425	L8 and L3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L10	2757	(sign\$2 signature \$1 signing) near5 (hash\$3)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L11	1427	(second subsequent signed) near2 hash \$3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L12	1038	(compar\$5 verif\$8 match\$3) near4 (L11 L10)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30

L13	682	L4 and L12	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L14	839	(sign\$1 signature \$1 signing) near5 (material\$1 message\$1 content \$1 information\$1 data) near4 hash \$3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L15	1567	(transfer\$3 transmit\$4 send\$3 sent receive\$3 submit\$3 obtain \$3) near4 (hash \$3) near4 (material \$1 message\$1 content\$1 information\$1 data)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L16	332	L15 and L14	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L17	7118	(hash\$3) near4 (material\$1 message\$1 content \$1 information\$1 data)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L18	1518	(compar\$5 verif\$8 match\$3) near4 (L17 L2)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L19	30179	(sign\$1 signature \$1 signing) near5 (material\$1 message\$1 content \$1 information\$1 data)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L20	195394	(transfer\$3 transmit\$4 send\$3 sent receive\$3 submit\$3 obtain \$3) near4 (mobile \$2 pda\$2 laptop\$2 notebook\$2 handheld\$2 smartcard\$2 (smart near card \$1) cell\$6)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L21	71	L16 and L20	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30

L22	44417	(transfer\$3 transmit\$4 send\$3 sent receive\$3 submit\$3 obtain \$3) near4 (mobile \$2 pda\$2 laptop\$2 notebook\$2 handheld\$2 smartcard\$2 (smart near card \$1))	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L23	1470	L17 and L18	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L24	668	L12 and L23	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L25	114	L16 and L24	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L26	18	L25 and L22	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L27	53	L21 not L26	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L28	1977	(sign\$1 signature \$1 signing) with (material\$1 message\$1 content \$1 information\$1 data) with hash\$3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L29	9415	((726/3) or (726/4) or (726/5) or (726/26) or (726/30) or (713/168) or (380/168) or (380/247) or (380/54) or (380/270) or (380/271) or (711/216) or (705/57) or (705/58) or (705/59) or (705/76) or (705/41) or (382/100) or (382/232)).OCLS.	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L30	1238	L29 and L17	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L31	406	L30 and L28	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30

L32	161	L31 and L18	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L33	104	L32 and (mobile\$2 pda\$2 laptop\$2 notebook\$2 handheld\$2 smartcard\$2 (smart near card \$1) cell\$6)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L34	4588	(compar\$5 verif\$8 match\$3) near4 L19	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L35	2005	L6 and L3 and L19	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L36	1124	L6 near5 (hash\$3)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L37	790	L6 and L3 and L36 and L19	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L38	227	(compar\$5 verif\$8 match\$3) near4 L36	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L39	2393	(signed signature \$1 signing) near5 (hash\$3)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L40	822	(compar\$5 verif\$8 match\$3) near4 L10	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L41	1448	L35 and L10	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L42	139	L38 and L34	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L43	60	L42 and L8 and L11	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L44	116	L14 with L18	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L45	1995	L10 and L17	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L46	114	L44 and L45	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L47	65	L46 and (mobile\$2 pda\$2 laptop\$2 notebook\$2 handheld\$2 smartcard\$2 (smart near card \$1) cell\$6)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30

L48	301	(compar\$5 verif\$8 match\$3) near4 (message near digest\$1)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L49	122	L48 and L28	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L50	61	L49 and (mobile\$2 pda\$2 laptop\$2 notebook\$2 handheld\$2 smartcard\$2 (smart near card \$1) cell\$6)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L51	33	L17 with L20	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L52	129	hash\$3 with L20	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L53	725	L19 near8 (mobile \$2 pda\$2 laptop\$2 notebook\$2 handheld\$2 smartcard\$2 (smart near card \$1) cell\$6)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L54	20	L52 and L53	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L55	970	(sign\$1 signature \$1 signing) near5 (material\$1 message\$1 content \$1 document\$1 file \$1 information\$1 data) near4 hash \$3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L56	760	(verif\$9 compar\$5 match\$3) near5 (sign\$1 signature \$1 signing) near5 hash\$3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L57	347	L55 and L56	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L58	241	L57 and (hash\$7 near3 (value\$1 code\$1))	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L59	92	L58 and (mobile\$1 laptop\$1 pda cellphone cellular \$1 wireless\$2)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30

L60	2040	L39 and L19	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L61	332	(sign\$1 signature \$1 signing) near5 (material\$1 message\$1 content \$1 document\$1 file \$1 information\$1 data) near4 (hash \$7 near3 (value\$1 code\$1))	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L62	316	L60 and L61	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L63	323	(verif\$9 compar\$5 match\$3) near5 ((sign\$1 signature \$1 signing) adj4 hash\$3)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L64	113	L62 and L63	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L65	80	L64 not L59	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L66	30179	(sign\$1 signature \$1 signing) near5 (material\$1 message\$1 content \$1 information\$1 data)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L67	2393	(signed signature \$1 signing) near5 (hash\$3)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L68	2040	L67 and L66	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L69	332	(sign\$1 signature \$1 signing) near5 (material\$1 message\$1 content \$1 document\$1 file \$1 information\$1 data) near4 (hash \$7 near3 (value\$1 code\$1))	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L70	316	L68 and L69	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L71	323	(verif\$9 compar\$5 match\$3) near5 ((sign\$1 signature \$1 signing) adj4 hash\$3)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30

L72	113	L70 and L71	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L73	7118	(hash\$3) near4 (material\$1 message\$1 content \$1 information\$1 data)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L74	9071	(has\$3) near7 (material\$1 message\$1 content \$1 information\$1 data)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L75	1427	(second subsequent signed) near2 hash \$3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L76	1940	(first original\$1) near2 hash\$3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L77	1567	(transfer\$3 transmit\$4 send\$3 sent receiv\$3 submit\$3 obtain \$3) near4 (hash \$3) near4 (material \$1 message\$1 content\$1 information\$1 data)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L78	839	(sign\$1 signature \$1 signing) near5 (material\$1 message\$1 content \$1 information\$1 data) near4 hash \$3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L79	332	L77 and L78	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L80	2757	(sign\$2 signature \$1 signing) near5 (hash\$3)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L81	1038	(compar\$5 verif\$8 match\$3) near4 (L75 L80)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L82	1518	(compar\$5 verif\$8 match\$3) near4 (L73 L76)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L83	1470	L73 and L82	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30

L84	668	L81 and L83	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L85	114	L79 and L84	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L86	44417	(transfer\$3 transmit\$4 send\$3 sent receive\$3 submit\$3 obtain \$3) near4 (mobile \$2 pda\$2 laptop\$2 notebook\$2 handheld\$2 smartcard\$2 (smart near card \$1))	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L87	18	L85 and L86	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L88	1977	(sign\$1 signature \$1 signing) with (material\$1 message\$1 content \$1 information\$1 data) with hash\$3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L89	301	(compar\$5 verif\$8 match\$3) near4 (message near digest\$1)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L90	122	L89 and L88	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L91	61	L90 and (mobile\$2 pda\$2 laptop\$2 notebook\$2 handheld\$2 smartcard\$2 (smart near card \$1) cell\$6)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L92	7193	(has\$3) near4 (material\$1 message\$1 content \$1 information\$1 data)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L93	1503	(compar\$5 verif\$8 match\$3) near4 (L92 L76)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L94	4588	(compar\$5 verif\$8 match\$3) near4 L66	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30

L95	2476	(sign\$1 signature \$1 signing) near7 (hash\$3)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L96	9630	digital\$2 near3 (sign\$1 signature \$1 signing)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L97	34623	(sign\$1 signature \$1 signing) near7 (material\$1 message\$1 content \$1 information\$1 data)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L98	1789	L96 and L95 and L97	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L99	1124	L96 near5 (hash \$3)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L100	227	(compar\$5 verif\$8 match\$3) near4 L99	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L101	139	L100 and L94	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L102	60	L101 and L98 and L75	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L103	116	L78 with L82	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L104	2005	L96 and L92 and L66	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L105	1448	L104 and L80	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L106	1995	L80 and L73	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L107	114	L103 and L106	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L108	65	L107 and (mobile \$2 pda\$2 laptop\$2 notebook\$2 handheld\$2 smartcard\$2 (smart near card \$1) cell\$6)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30

L109	195394	(transfer\$3 transmit\$4 send\$3 sent receive\$3 submit\$3 obtain \$3) near4 (mobile \$2 pda\$2 laptop\$2 notebook\$2 handheld\$2 smartcard\$2 (smart near card \$1) cell\$6)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L110	33	L73 with L109	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L111	129	hash\$3 with L109	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L112	790	L96 and L92 and L99 and L66	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L113	1425	L98 and L92	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L114	822	(compar\$5 verif\$8 match\$3) near4 L80	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L115	725	L66 near8 (mobile \$2 pda\$2 laptop\$2 notebook\$2 handheld\$2 smartcard\$2 (smart near card \$1) cell\$6)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L116	20	L111 and L115	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L117	9415	((726/3) or (726/4) or (726/5) or (726/26) or (726/30) or (713/168) or (380/168) or (380/247) or (380/54) or (380/270) or (380/271) or (711/216) or (705/57) or (705/58) or (705/59) or (705/76) or (705/41) or (382/100) or (382/232)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30

L118	1238	L117 and L73	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L119	406	L118 and L88	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L120	161	L119 and L82	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L121	71	L79 and L109	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L122	682	L93 and L81	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L123	53	L121 not L87	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L124	104	L120 and (mobile \$2 pda\$2 laptop\$2 notebook\$2 handheld\$2 smartcard\$2 (smart near card \$1) cell\$6)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L125	970	(sign\$1 signature \$1 signing) near5 (material\$1 message\$1 content \$1 document\$1 file \$1 information\$1 data) near4 hash \$3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L126	760	(verif\$9 compar\$5 match\$3) near5 (sign\$1 signature \$1 signing) near5 hash\$3	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L127	347	L125 and L126	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L128	241	L127 and (hash\$7 near3 (value\$1 code\$1))	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L129	92	L128 and (mobile \$1 laptop\$1 pda cellphone cellular \$1 wireless\$2)	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L130	80	L72 not L129	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30

L131	12444	((726/3) or (726/4) or (726/5) or (726/26) or (726/30) or (713/168) or (713/170) or (713/172) or (713/175-176) or (713/180-181) or (713/185) or (713/189) or (713/193) or (380/168) or (380/247) or (380/54) or (380/270) or (380/271) or (711/216) or (705/57) or (705/58) or (705/59) or (705/76) or (705/41) or (382/100) or (382/232)).OCLS.	USPAT; IBM_TDB	OR	OFF	2008/10/15 13:30
L132	32	((hash\$3 sha\$1 digest\$1 (one-way near2 function\$1) (one near way near2 function\$1)) with (sign\$1 signing signed signature\$1) with ((payment\$1 vending\$1 dvd\$1 cd\$2 soda\$1 merchandise\$3 sale \$1) near4 (machine\$1 device \$1 computer\$1 node\$1 system\$1 apparatus\$2))	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30

L133	2	(hash\$3 sha\$1 digest\$1 (one-way near2 function\$1) (one near way near2 function\$1)) with (id\$1 identifier \$1 identity identities identification\$1) with ((payment\$1 vending\$1 dvd\$1 cd\$2 soda\$1 merchandise\$3 sale \$1) near4 (machine\$1 device \$1 computer\$1 node\$1 system\$1 apparatus\$2))	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L134	63	(compute\$1 computing\$1 computation\$1 generate\$4 calculat \$4 determin\$5) near9 (hash\$3 sha \$1 digest\$1 (one- way near2 function \$1) (one near way near2 function\$1)) near9 ((payment \$1 vending\$1 dvd \$1 cd\$2 soda\$1 merchandise\$3 sale \$1) near4 (machine\$1 device \$1 computer\$1 node\$1 system\$1 apparatus\$2))	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L135	230	(receive\$3 transfer \$4 transmit\$4 transmission\$1 deliver\$5 send\$3 sent) near9 (hash \$3 sha\$1 digest\$1 (one-way near2 function\$1) (one near way near2 function\$1)) near9 (mobile\$1 pda laptop smartcard smart-card (smart near2 card\$1) card cellular (cell near2 phone\$1)	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30

		wireless\$1)				
L136	3951	L131 and (hash\$3 sha\$1 digest\$1 (one-way near2 function\$1) (one near way near2 function\$1))	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L137	186	(sign\$1 signing signed signature \$1) with (hash\$3 sha\$1 digest\$1 (one-way near2 function\$1) (one near way near2 function\$1)) with (mobile\$1 pda laptop smartcard smart-card (smart near2 card\$1) card cellular (cell near2 phone\$1) wireless\$1)	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L138	126	(hash\$3 sha\$1 digest\$1 (one-way near2 function\$1) (one near way near2 function\$1)) near9 ((payment \$1 vending\$1 dvd \$1 cd\$2 soda\$1 merchandis\$3 sale \$1) near4 (machine\$1 device \$1 computer\$1 node\$1 system\$1 apparatus\$2))	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L139	107	L136 and L137	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L140	39	L135 and L139	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L141	0	L138 and L140	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L142	5	L138 and L137	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30

L143	147	(hash\$3 sha\$1 digest\$1 (one-way near2 function\$1) (one near way near2 function\$1)) with ((payment\$1 vending\$1 dvd\$1 cd\$2 soda\$1 merchandis\$3 sale \$1) near4 (machine\$1 device \$1 computer\$1 node\$1 system\$1 apparatus\$2))	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L144	5	L143 and L137	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L145	3600	(sign\$1 signing signed signature \$1) with (hash\$3 sha\$1 digest\$1 (one-way near2 function\$1) (one near way near2 function\$1))	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L146	147	(hash\$3 sha\$1 digest\$1 (one-way near2 function\$1) (one near way near2 function\$1)) with ((payment\$1 vending\$1 dvd\$1 cd\$2 soda\$1 merchandis\$3 sale \$1) near4 (machine\$1 device \$1 computer\$1 node\$1 system\$1 apparatus\$2))	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L147	7925	(sign\$1 signing signed signature \$1) with (mobile \$1 pda laptop smartcard smart-card (smart near2 card\$1) card cellular (cell near2 phone\$1) wireless \$1)	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L148	14	L145 and L146 and L147	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30

L149	5	VATANEN near3 HARRI	USPAT; IBM_TDB	OR	ON	2008/10/15 13:30
L150	5	(hash\$3 and code \$1 and sign\$6 and (id identi\$9) and mobile and payment\$1).clm.	US-PGPUB	OR	ON	2008/10/15 13:30
L151	2	(hash\$3 and code \$1 and signature \$1 and (id identi \$9) and mobile and payment\$1). clm.	US-PGPUB	OR	ON	2008/10/15 13:30

10/ 15/ 08 1:44:21 PM

C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\09868387.wsp